

U.S.S.N. 10/710,897

2

04966 (LC 0163 PUS)

In the claims:

1. (Currently Amended) A vehicle overhead module powerstrip assembly comprising:

at least one overhead attachment strip configured to couple to a vehicle overhead structure;

at least one electrically conductive strip coupled to said at least one attachment strip; and

at least one modular connector comprising a plurality of electrical contacts having a plurality of attachment positions along said at least one electrically conductive strip, said at least one modular connector removable from said at least one electrically conductive strip and configured to couple an overhead electronic module to said at least one electrically conductive strip.

2. (Original) An assembly as in claim 1 wherein said at least one attachment strip is in the form of a single extruded component.

3. (Original) An assembly as in claim 1 wherein said at least one attachment strip comprises at least one flange that covers at least a portion of said at least one electrically conductive strip.

4. (Original) An assembly as in claim 3 wherein said at least one flange is flexible.

5. (Original) An assembly as in claim 3 wherein said at least one flange comprises at least one of polypropylene and saniprene.

6. (Original) An assembly as in claim 3 wherein said at least one flange applies pressure on said at least one modular connector to maintain electrical contact between said at least one electrically conductive strip and said at least one modular connector.

7. (Original) An assembly as in claim 1 wherein said at least one electrically conductive strip comprise:

a positively charged electrically conductive strip; and

a negatively charged electrically conductive strip.

U.S.S.N. 10/710,897

3

04966 (LC 0163 PUS)

8. (Original) An assembly as in claim 1 wherein said at least one electrically conductive strip extend in a fore and aft direction along a longitudinal centerline of a vehicle.

9. (Original) An assembly as in claim 1 wherein said plurality of electrical contacts comprises a spring loaded ground contact that is in contact with a ground strip of said at least one electrically conductive strip.

10. (Original) An assembly as in claim 1 wherein said at least one overhead attachment strip comprises a plurality of channels, at least a portion of said plurality of electrical contacts extend into said plurality of channels and arc in contact with said at least one electrically conductive strip therein.

11. (Original) An assembly as in claim 1 whercin said plurality of electrical contacts comprise:

a first power contact; and

a second power contact having a physical spreading resistance relative to said first power contact to maintain electrical contact with said at least one electrically conductive strip.

12. (Original) An assembly as in claim 1 wherein said plurality of electrical contacts are slidable along said at least one electrically conductive strip.

13. (Original) An assembly as in claim 1 wherein said at least one overhead attachment strip further comprises a main center member, said at least one electrically conductive strip coupled to and extending along said main center member.

14. (Original) An assembly as in claim 1 wherein said at least one modular connector comprises at least one insulator separating said plurality of electrical contacts.

15. (Original) An assembly as in claim 14 wherein said at least one insulator comprises a plurality of module attachment holes.

16. (Currently Amended) A vehicle overhead console comprising:

U.S.S.N. 10/710,897

4

04966 (LC 0163 PUS)

at least one track;

at least one overhead electronic module transitional along said at least one track; and

at least one vehicle overhead module powerstrip assembly comprising;

at least one overhead attachment strip configured to couple to a vehicle overhead structure;

at least one electrically conductive strip coupled to said at least one attachment strip; and

at least one removable and modular connector comprising a plurality of electrical contacts having a plurality of attachment positions along said at least one electrically conductive strip, said at least one removable and modular connector configured to couple and allow separation of said at least one overhead electronic module to and from said at least one electrically conductive strip.

17. (Original) A console as in claim 16 wherein said at least one overhead attachment strip is coupled to said at least one track via at least one fastening device.

18. (Original) A console as in claim 16 wherein said at least one electronic module has an infinite number of module positions relative to said track and receives power from said at least one electrically conductive strip in each of said module positions.

19-20. (Canceled)

21. (New) An assembly as in claim 1 wherein said overhead electronic module is a non-illumination providing module.

22. (New) An assembly as in claim 1 wherein said overhead electronic module is selected from at least one of a garage door opener module, an audio module, a video module, an HVAC module, and a display module.